Napa State Hospital Key Indicators as of January 2008

Individual-days

Aggressive acts to self

Aggressive acts to others

## Individuals having alleged abuse, neglect and/or exploitation

Body mass index

Legend:
- 18.5 or less (underweight)
- Between 25 and 29.9 (overweight)
- Between 30 and 34.9 (obesity--grade I)
- Between 35 and 39.9 (obesity--grade II)
- 40 or above (obesity--grade III)

Individuals with body mass index greater than 25
(overweight to obese)

Legend:
- 40 or above (obesity--grade III)
- Between 35 and 39.9 (obesity--grade II)
- Between 30 and 34.9 (obesity--grade I)
- Between 25 and 29.9 (overweight)

Body Mass Index Change

Weight change

Waist circumference, females

Waist circumference, males

Combined pharmacotherapy

Legend:
- Individuals with two or more intra-class psychotropic medications for psychiatric reasons
- Individuals with four or more inter-class psychotropic medications for psychiatric reasons

Electroconvulsive treatment

Napa State Hospital Key Indicators as of January 2008

Escape/Walkaway

Falls

Homicide

## Incidents of individuals testing positive for illicit substance use

**Summary of reported medication variances**

Medication variance

Medication variance

Medication variance

**Any event involving a medication error which results in a major injury or
exacerbation of a disease or disorder**

Mortality

Close observation

Aspiration pneumonia

## Individuals with occurrences of fecal impaction or bowel obstruction

Diabetes

Legend:
- Individuals having diagnosis of diabetes mellitus
- Individual having new diagnosis of diabetes only
- Individuals receiving new generation antipsychotics

Diabetes

Number

Individuals with one or more episodes of hyperglycemia

Individuals with one or more episodes of hypoglycemia

Apr-06 May-06 Jun-06 Jul-06 Aug-06 Sep-06 Oct-06 Nov-06 Dec-06 Jan-07 Feb-07 Mar-07 Apr-07 May-07 Jun-07 Jul-07 Aug-07 Sep-07 Oct-07 Nov-07 Dec-07 Jan-08

Dysphagia

Fractures

Legend:
- Individuals having a diagnosis of fracture(s).
- Individuals with new diagnosis of fracture(s).

Hepatitis C

Legend:
- Individuals with diagnosis of Hepatitis C
- Individuals with new diagnosis of Hepatitis C.

Hospitalization

MRSA

Osteoporosis

Legend:
- Individuals with diagnosis of Osteoporosis
- Individuals with new diagnosis of Osteoporosis

Polydipsia

Seizure disorder

Individuals receiving older anticonvulsants

Legend:
- Individuals receiving phenytoin
- Individuals receiving phenobarbital
- Individuals receiving primidone

Skin integrity

PRN medications

Legend:
- Individiuals with 2 or more PRNs in 24 hours (for psychiatric/ behavioral reasons)
- Individuals with 3 or more PRNs in 7 consecutive days
- Individuals with 15 or more PRNs in 30 consecutive days

Restraint

Seclusion

Stat medications

Napa State Hospital Key Indicators as of January 2008

Suicide